

tents & halls




Enhanced mechanical properties

- Flame retardant
- Option for extreme cold conditions
- High UV resistant

**B9115 // B9113 // B9117 //
B6196**

B9115

Extreme cold resistant - Extrem kältebeständig - Résistant au froid extrême -
Resistente al frío extremo - Extreem koudebestendig



7001

↔ 250 cm



9909

↔ 250 cm, 300 cm

*Other colours on request - Andere Farben auf Anfrage - Autres coloris sur demande -
Otros colores bajo pedido - Andere kleuren op aanvraag.*

B9113



9909

←→ 250 cm

B9117

Extreme cold resistant -
Low wick



On request

Auf Anfrage - Sur demande -
Bajo pedido - Op verzoek

B6196




On request

Auf Anfrage - Sur demande -
Bajo pedido - Op verzoek



*Other colours on request - Andere Farben auf Anfrage - Autres coloris sur demande -
Otros colores bajo pedido - Andere kleuren op aanvraag.*



ADVANTAGES

Vorteile // Avantages // Ventajas // Voordelen



Enhanced mechanical properties

Erweiterte mechanische Eigenschaften
Caractéristiques mécaniques améliorées
Propiedades mecánicas mejoradas
Uitgebreide mechanische eigenschappen



Option for extreme cold conditions

Option für extrem kalte Witterungskonditionen
Option conditions atmosphériques extrêmement froides
Opción para el frío extremo
Optie voor extreem koude condities



Flame retardant

Flammhemmend
Ignifuge
Ignífugo
Vlamvertragend



Highly UV resistant

Sehr UV-beständig
Très résistant aux UV
Alta resistencia a los UV
Hoge UV-bestendigheid

Layered membrane

- Highly protective lacquer
- High protective lacquer
- 2nd layer FR PVC coating
- 1st layer FR PVC coating
- High tenacity polyester fabric
- 1st layer FR PVC Coating
- 2nd layer FR PVC Coating
- Highly protective lacquer

